



The Great Canadian
Catholic Hospital History Project

Documenting the legacy and contribution of the
Congregations of Religious Women in Canada,
their mission in health care, and the founding and operation of Catholic hospitals.



Projet de la Grande Histoire
des hôpitaux catholiques au Canada

Retracer l'héritage et la contribution des
congrégations de religieuses au Canada,
leur mission en matière de soins de santé ainsi que la fondation et l'exploitation des hôpitaux catholiques.

Pharmacopœia of St. Michael's Hospital Toronto

Compiled by a Committee
Appointed by
The Medical Board

Source: [The Internet Archive](https://archive.org)
<https://archive.org>

Copyright: Public Domain



3 1761 04287 7142

Pharmacopoeia

RS
141
.23
P48
1916
PHAR

Presented by
Sister Liguori

Pharmacopoeia of
St. Michael's Hospital
1916

and some old examination
papers.

THE LIBRARY
FACULTY OF PHARMACY
UNIVERSITY OF TORONTO

DEC 1 E 1964

Dec. 11/64.

Mary Austin




R. O. HURST LIBRARY
FACULTY OF PHARMACY
UNIVERSITY OF TORONTO

PHARMACOPÆIA
OF
St. Michael's Hospital
TORONTO

COMPILED BY A COMMITTEE
APPOINTED BY
THE MEDICAL BOARD

1916



NOTE:—The ingredients used in the compounds of this publication are mostly drugs or preparations of the British Pharmacopœia. Many other official and non-official drugs and preparations are also kept in stock.

THE LIBRARY
FACULTY OF PHARMACY
UNIVERSITY OF TORONTO

TABLE OF CONTENTS.

	PAGE.
Balnea	5
Collunaria	6
Emulsiones	7
Enemata	8
Gargarismata	10
Guttæ	11
Haustus	15
Injectiones	16
Linctus	18
Linimenta	19
Lotiones	21
Misturæ	23
Nebulæ	34
Pastæ	36

	PAGE.
Pigmenta	37
Pilulæ vel Tabellæ	39
Potus	42
Pulveres	43
Sera	45
Suppositoria	47
Trochisci	47
Unguenta	48
Vaccines	55
Vapores	56

BALNEA.

1.—BALNEUM CALIDUM.

Water at 98 deg. F. to 110 deg. F.

2.—BALNEUM FRIGIDUM.

Water at 60 deg. F.

3.—BALNEUM TEPIDUM.

Water at 85 deg. F. to 92 deg. F.

To make the following medicated baths, add the quantity of the ingredient mentioned to 30 gallons of water at 98 degrees F.

4.—BALNEUM ALKALINUM.

Sodium Carbonate, 4, 6, or 8 ounces.

5.—BALNEUM ALKALINUM COMPOSITUM.

Borax. $1\frac{1}{2}$ ounces

Sodium Carbonate . . 6 ounces

Starch Paste . . . 4 ounces

6.—BALNEUM BITUMINIS.

Solution of Coal Tar..8 fluid ounces

7.—BALNEUM CREOSOTI.

Creosote 2 fluid drachms

Glycerin 2 fluid ounces

8.—BALNEUM FURFURIS.

Wheaten Bran 4 pounds

Tie the bran in a muslin bag and macerate with frequent agitation for 15 minutes in one-third of the water at 180 deg. F.; then add more water to produce the requisite quantity at 98 deg. F.

9.—BALNEUM SINAPIS.

Mustard 2 pounds

Rub the mustard to a smooth paste with cold water before adding it to the hot water.

10.—BALNEUM SODII CHLORIDI.

Salt 8 pounds.

11.—BALNEUM SULPHURATUM.

Sulphurated Potash .. 4 ounces

COLLUNARIA.

The following nasal douches are to be diluted with two parts of warm water before use.

12.—COLLUNARIUM ALKALINUM.

SYN: DOBELL'S SOLUTION.

R—Sodii Bicarbonatis gr. iv.
Sodii Biboratis gr. iv.
Acidi Carbolici Puri .. . gr. ii.
Sacchari Purificati gr. x.
Aquam ad oz. i.

13.—COLLUNARIUM AMMONII CHLORIDI.

R—Ammonii Chloridi gr. x.
Sodii Chloridi gr. vi.
Sacchari Purificati gr. x.
Aquam ad oz.i.

14.—COLLUNARIUM BORACIS.

R—Sodii Biboratis gr. iv.
Sodii Bicarbonatis gr. iv.
Sodii Chloridi gr. iv.
Sacchari Purificati gr. x.
Aquam ad oz.i.

15.—COLLUNARIUM POTASSII PERMANGANATIS.

R—Potassii Permanganatis.. gr. $\frac{1}{4}$
Sodii Chloridi gr. x.
Aquam ad oz.i.

EMULSIONES.

16.—EMULSIO IODOFORMI.

Glycerini drm. iss.
R—Iodoformi gr. xlvi.
Spiritus Rectificati drm. i.
Aquam ad oz.i.

17.—EMULSIO OLEI MORRHUÆ.

R—Olei Morrhuæ drm. i.
Olei Gaultheriae m. $\frac{1}{4}$.
Liquorem Calcis ad drm. ii.

18.—EMULSIO OLEI MORRHUÆ CUM FERRO

R—Ferri Tartarati gr. v.
Spiritus Aetheris .. m. v.
Tincturæ Quillaiæ .. m. v.
Olei Morrhuæ drm. i.
Aquam ad drm. ii.

19.—EMULSIO TONICA.

R—Emuls. Olei Morrhuæ drm. i.
Syrupus Ferri Iodidi.. m. xxx.
Syrupus Hypophosphatis
Compositum .. ad drm. ii.

ENEMATA.

20.—ENEMA 1. 2. 3.

R—Glycerini oz. ii.
Magnesii Suphatis oz. iv.
Aquaæ oz.vi.

21.—ENEMA AMYLI.

R—Pulveris Amyli drm. ii.
Aquam ad oz. v.

Rub the starch to a smooth paste with the water, heat the mixture to boiling, then cool to proper temperature.

22.—ENEMA ASAFETIDÆ.

R—Tincturæ Asafetidæ .. oz. ss.
Enema Amyli oz. vi.

23.—ENEMA ASAFETIDÆ ET TEREBINTHINÆ.

R—Tincturæ Asafetidæ ... drm. i.
Olei Terebinthinæ ... oz. i.
Glycerini ... oz. ss.
Aquam ... ad oz. vi.

This enema may be followed by one or two pints of the Enema Simplex.

24.—ENEMA CHLORAL.

R—Chloral Hydratis ... gr. x.-xl.
Enema Amyli ... ad oz. iv.

25.—ENEMA FERRI PERCHLORIDI.

R—Tincturæ Ferri Perchlor. drm. i.
Aquam ad Oss.

26.—ENEMA GLYCERINI.

R—Glycerini drm. i.-iv.

This may be used with or without an equal quantity of warm water.

27.—ENEMA OLEI RICINI.

R—Olei Ricini oz. iv.
Saponis Mollis oz. ss.
Aquam Calidam ... ad Oi.

28.—ENEMA OLEOSUM.

R—Olei Olivæ oz. iv.
Saponis Mollis oz. i.
Aquam Calidam ... ad Oi.

29.—ENEMA OPII.

R—Tincturæ Opii m.x.-lx.
Enema Amyli .. ad oz. vi.

30.—ENEMA SIMPLEX.

R—Saponis Mollis oz. i.
Aquam Calidam ad Oi.

31.—ENEMA SODII CHLORIDI.

R—Sodii Bicarbonatis .. drm. ss.
Sodii Chloridi drm. ii.
Aquam ad Oi.

32.—ENEMA TEREBINTIIINÆ.

R—Olei Terebinthinæ .. drm. ss.ii.
Enema Amyli .. ad. Oi

GARGARISMATA.

To be used in the proportion of one drachm to half a tumbler of warm water.

33.—GARGARISMA ACIDI CARBOLICI.

R—Glycerini Acidi Carbol. m. xx.
Aquam ad oz. i.

34.—GARGARISMA ALKALINUM.

SYN: DOBELL'S SOLUTION.

R—Sodii Biboratis gr. vi.
Sodii Bicarbonatis gr. vi.
Acidi Carbolici Puri .. m. ii.
Sacchari Purificati .. gr. x.
Aquam ad oz. i.

35.—GARGARISMA ALUMINIS.

R—Aluminis	gr. x.
Aquam ad	oz. i.

36.—GARGARISMA BORACIS.

R—Glycerini Boracis	..	drm. i.
Aquam ad	oz. i.

37.—GARGARISMA MYRRHÆ COMPOSITUM.

R—Glycerini Boracis	..	drm. i.
Tincturæ Myrrhæ	..	m.x
Aquam ad	oz. i.

38.—GARGARISMA POTASSII CHLORATIS.

R—Potassii Chloratis	..	gr. xv.
Aquam ad	oz. i.

39.—GARGARISMA POTASSII CHLORATIS
CUM FERRO.

R—Liq. Ferri Perchlor.	...	m. xv.
Potassli Chloratis	..	gr. xv.
Glycerini	drm. i.
Aquam ad	oz. i.

GUTTAE.

40.—GUTTAE ACIDI BORICI.

(Aural.)

R—Acidi Borici	gr. x.
Spiritus Rectificatus	ad	oz. i.

41.—GUTTÆ ACIDI CARBOLICI.

SYN: KEITH'S DRESSING.

(Aural, etc.)

R—Glycerini Ac. Carbol... drm. iv.
Glycerinumad oz. i.

42.—GUTTÆ ACIDI CARBOLICI ET ZINCI
SULPHATIS.

(Aural)

R—Acidi Carbolici gr. v.
Zinci Sulphatis gr. v.
Aquamad oz. i.

43.—GUTTÆ ARGYROL.

(Ophthalmic)

R—Argyrol gr.i.-drm.iss.
Aquamad oz. i.

44.—GUTTÆ ATROPINÆ SULPHATIS.

(Ophthalmic)

R—Atropinæ Sulphatis ... gr. i.-iv.
Aquam Destillatam ad oz. i.

45.—GUTTÆ COCAINÆ HYDROCHLORIDI.

(Ophthalmic)

R—Cocainæ Hydrochloridi gr. x.
Aquam Destillatam ad oz. i.

46.—GUTTÆ CUPRI SULPHATIS.

(Ophthalmic)

R—Cupri Sulphatis gr. ii.
Aquam Destillatam ad oz. i.

47.—GUTTÆ DUBOISINÆ SULPHATIS.

(Ophthalmic)

R—Duboisinæ Sulphatis ..	gr. i.
Aquam Destillatam ad	oz. i.

48.—GUTTÆ ESERINÆ ET COCAINÆ.

(Ophthalmic)

R—Eserinæ Sulphatis ..	gr. i.
Cocainæ Hydrochloridi	gr. iv.
Aquam Destillatam ad	oz. i.

49.—GUTTÆ ESERINÆ SULPHATIS.

(Ophthalmic)

R—Eserinæ Sulphatis ..	gr. ss.-iv.
Aquam Destillatam ad	oz. i.

50.—GUTTÆ HOMATROPINÆ ET COCAINÆ.

(Ophthalmic)

R—Homatropinæ Hydrobrom. gr. vi.	
Cocainæ Hydrochloridi	gr. x.
Aquam Destillatam ad	oz. i.

51.—GUTTÆ HOMATROPINÆ ET COCAINÆ OLEOSAE.

(Ophthalmic)

R—Homatropinæ Hydrobrom. gr. x.	
Cocainæ Hydrochloridi	gr. x.
Oleum Ricini .. ad	oz. i.

52.—GUTTÆ HOMATROPINÆ HYDROBROMIDI.

(Ophthalmic)

R—Homatropinæ Hydrobrom. gr. iv.	
Aquam Destillatam ad	oz. i.

53.—GUTTÆ HYDRARGYRI NITRATIS.
(Aural)

R—Ung. Hydrarg. Nit. Dil. drm. i.
Olei Olivae drm. ss.
Paraffinum Liq. ad oz. i.

54.—GUTTÆ HYDROGENII PEROXIDI.
(Aural)

R—Hydrogenii Peroxidi
(10 vols.) drm. iv.
Aquam Destillatam ad oz. i.

55.—GUTTÆ HYOSCINÆ HYDROBROMIDI.
(Ophthalmic)

R—Hyoscinæ Hydrobrom. gr. i.-ii.
Aquam Destillatam ad oz. i.

56.—GUTTÆ PILOCARPINÆ NITRATIS.
(Ophthalmic)

R—Pilocarpinæ Nitratis.. gr. ii.-iv.
Aquam Destillatam ad oz. i.

57.—GUTTÆ SODII SALICYLATIS.
(Ophthalmic)

R—Sodii Salicylatis gr. viii.
Aquam ad oz. i.

58.—GUTTÆ ZINCI CHLORIDI.
(Ophthalmic)

R—Zinci Chloridi gr. i.
Aquam Destillatam ad oz. i.

59.—GUTTÆ ZINCI CHLORIDI ET ACIDI
BORICI.

(Ophthalmic)

R—Zinci Chloridi	gr. ss.-ii.
Acidi Borici	gr. x.
Aquam Destillatam ad		oz. i.

60.—GUTTÆ ZINCI CHLORIDI ET COCAINÆ.

(Ophthalmic)

R—Zinci Chloridi	gr. ii.
Cocainæ	gr. x.
Aquam Destillatam ad		oz. i.

HAUSTUS.

61.—HAUSTUS ALBUS. ~~M. et al. Co.~~

R—Magnesii Sulphatis	..	drm. ii.
Magnesii Carbonatis	..	gr. xss.
Tincturæ Zingiberis		m. vss.
Aquam ad	oz. i.

62.—HAUSTUS FILICIS.

R—Extracti Filicis Liquidi		drm. i.
Syrupi Zingiberis	..	drm. i.
Tincturæ Quillaiæ	..	drm. ss.
Aquam Menthae Pip.	ad	oz. i.

63.—HAUSTUS NIGER.

R—Magnesii Sulphatis	..	gr. xlv.
Tincturæ Sennæ	..	m. viiss.
Extracti Sennæ Liquidi	m.	xv.
Ext. Glycyrrhizæ Liq.	m.	viiss.
Tinct. Cardamomi Co.	m.	xv.
Aquam	ad oz. i.

INJECTIONES.

64.—INJECTIO ACIDI BORICI.

(Vaginal)

R—Acidi Borici	drm. i.
Aquam	ad Oi.

65.—INJECTIO ACIDI TANNICI.

(Vaginal)

R—Acidi Tannici	drm. i.
Aquam	ad Oi.

66.—INJECTIO ALUMINIS.

(Vaginal)

R—Aluminis	drm. i.
Aquam	ad Oi.

67.—INJECTIO ALUMINIS COMPOSITA.

(Urethral)

R—Aluminis	gr. iv.
Acidi Carbolici Puri		gr. 1/4
Aquam	ad oz. i.

68.—INJECTIO PLUMBI.

(Vaginal)

R—Liquor Plumbi Subacetatis Fortis	drm. i.
Aquam ad	Oi.

69.—INJECTIO POTASSII PERMANGANATIS.

(Vaginal)

R—Potassii Permanganatis	gr. v.
Aquam ad

70.—INJECTO PROTARGOL.

(Urethral)

R—Protargol	gr. v.
Aquam ad	oz. i.

71.—INJECTIO ZINCI CHLORIDI.

(Urethral)

R—Zinci Chloridi	gr. i.
Aquam ad	oz. i.

72.—INJECTIO ZINCI CHLORIDI.

(Vaginal)

R—Zinci Chloridi	gr. v.
Aquam ad	Oi.

73.—INJECTIO ZINCI PERMANGANATIS.

(Urethral)

R—Zinci Permanganatis	gr. ss.
Aquam ad

74.—INJECTIO ZINCI SULPHATIS.

(Urethral)

R—Zinci Sulphatis	gr. ii.
Aquam ad	oz. i.

75.—INJECTIO ZINCI SULPHATIS.

(Vaginal)

R—Zinci Sulphatis	drm. i.
Aquamad	Oz. i.

76.—INJECTIO ZINCI SULPHOCARBOLATIS.

(Urethral)

R—Zinci Sulphocarbolatis	gr. v.
Aquamad

—

LINCTUS.

77.—LINCTUS ACIDUS.

R—Oxymellis	m. xxv.
Acidi Sulphurici Diluti		m. v.
Linctum Simplicem ad		drm. i.

78.—LINCTUS CAMPHORÆ COMPOSITUS.

R—Tinct. Camphoræ Co...	m. xx.
Syrupi Scillæ
Syrupi Tolutani

79.—LINCTUS MENTHOLIS.

R—Mentholis	gr. 1/16
Glycerini	m. viii.
Aquæ Laurocerasi	m. x.
Spiritus Vini Rect.	m. xii.
Syrupi Rhœados	m. xv.
Aquamad	drm. i.

80.—LINCTUS OPIATUS.

R—Tincturæ Opii	m. ii.
Acidi Sulphurici Diluti		m. ii.
Syrupi Simplicis	..	drm. ss.
Aquam	ad drm. i.

81.—LINCTUS SIMPLEX.

R—Theriacæ	m. xx.
Spiritus Chloroformi		m. ii.
Aquam	ad drm. i.

82.—LINCTUS TERPHEROIN.

R—Heroin Hydrochloridi	gr. 1/32
Terpin Hydratis	.. gr. 1/4
Acidi Hydrocyan. Dil.	m. i.
Syrupi Tolutani drm. ss.
Aquam ad drm. i.

LINIMENTA.

83.—LINIMENTUM A. B. C. *a d*

R—Linimenti Aconiti,	
Linimenti Belladonnæ,	
Linimenti Chloroformi	
.. . . .	partes æquales

84.—LINIMENTUM ACONITI CUM SAPONE.

R—Linimenti Aconiti	..	drm. ii.
Linimenti Saponis	..	drm. vi.

85.—LINIMENTUM ANODYNUM.

R—Linimenti Aconiti ..
Linimenti Opii ..
Linimenti Belladonnæ partes æquales

86.—LINIMENTUM BELLADONNÆ CUM SAPONE.

R—Linimenti Belladonnæ drm. ii.
Linimenti Saponis .. drm. vi.

87.—LINIMENTUM CROTONIS DILUTUM.

R—Linimenti Crotonis ..
Linimenti Saponis partes æquales

88.—LINIMENTUM OPII.

R—Spiritus Methylati .. oz. iii.
Linimenti Saponis .. oz. i.
Tincturæ Opii oz. i.

89.—LINIMENTUM OPII COMPOSITUM.

R—Tincturæ Opii drm. i.
Chloroformi drm. i.
Lin. Camphoræ Amm. drm. ii.
Linimenti Saponis .. drm. iv.

90.—LINIMENTUM TEREBINTHINÆ ACETICÆ.

R—Olei Terebinthinæ .. drm. iv.
Acidi Acetici Glacialis drm. i.
Linimenti Camphoræ drm. iv.

LOTIONES.

91.—LOTIO ACIDI BORICI.

(Ophthalmic)

R—Acidi Borici	gr. xv.
Aquam Destillatam ad		oz. i.

92.—LOTIO ACIDI BORICI.

R—Acidi Borici	gr. xv.
Aquamad	oz. i.

93.—LOTIO ACIDI HYDROCYANICI CUM SODIO.

(Ophthalmic)

R—Acidi Hydrocyanici Dil	m. iv.
Sodii Biboratis gr. iv.
Sodii Bicarbonatis	.. gr. iv.
Aquam Destillatam ad	oz. i.

94.—LOTIO ACIDI SULPHUROSI.

R—Acidi Sulphurosi	.. drm. ii.
Aquamad oz. i.

95.—LOTIO ALUMINIS.

(Ophthalmic)

R—Aluminis	gr. iv.
Aquam Destillatam ad		oz. i.

96.—LOTIO ALUMINIS ACETATIS.

R—Aluminis Sulphatis	..	drm. ii.
Lotionis Plumbi Subacetatis Diluti	..	Oi.

Agitate and let stand, then filter.

97.—LOTIO ALUMINIS COMPOSITA.

(Ophthalmic)

R—Aluminis	gr. ii.
Zinci Sulphatis		gr. i.
Aquam Destillatam ad				oz. i.

98.—LOTIO AQUÆ ROSÆ.

SYN:HAND LOTION.

R—Glycerini	drm. iv.
Spiritus Camphoræ	..			drm. ss.
Acidi Carbolici		m. ii.
Sodii Biboratis		m. v.
Aquam Rosæ	ad		oz. i.

99.—LOTIO BORACIS.

(Ophthalmic)

R—Sodii Biboratis	gr. x.
Sodii Bicarbonatis	..			gr. x.
Aquam Destillatam ad				oz. i.

100.—LOTIO CALAMINÆ.

R—Calaminæ	<i>Cal.</i>	gr. xl.
Zinci Oxidi	gr. xx.
Glycerini	m. xx.
Liquor Calcis	ad		oz. i.

101.—LOTIO CALAMINÆ OLEOSA.

R—Calaminæ	<i>Cal.</i>	gr. ix.
Zinci Oxidi	gr. xx.
Liquoris Calcis	drm. iii.
Olei Olivæ	oz. i.

102.—LOTIO EUSOL.

R—Pulveris Eupad ... grms. xxv.
Aquac litre i.

Shake together, allow to stand for some hours, and then filter.

For intravenous injection add 8.5 grams of sterile sodium chloride.

103.—LOTIO EVAPORANS.

R—Ammonii Chloridi .. gr. x.
Spiritus Methylati .. drm. ii.
Liq. Amm. Acetatis .. drm. i.
Aquam ad oz. i.

MISTURAE

104.—MISTURA ACIDA.

R—Acidi Nitro-hyd. Dil... m. xv.
Tincturæ Nucis Vom. m. viiss.
Tinet. Gentianæ Co... m. xv.
Aquam ad drm. ii.

105.—MISTURA ACIDI HYDROCHLORIDI CUM STRYCHININA.

SYN: MISTURA TYPHOID.

R—Ac. Hydrochlor. Dil. . . m. viiss.
Liquoris Strychninæ m. iv.
Aquam ad drm. ii.

106.—MISTURA ACIDI SULPHURICI CUM
OPIO.

R—Ac. Sulphurici Arom. m. v.
Tincturæ Opii m. v.
Tinct. Cardamomi Co. m. xx.
Aquam Chloroformi ad drm. ii.

107.—MISTURA AMMONIÆ CUM AETHIERE.

R—Sp. Ammoniæ Aromat. drm. ss.
Spiritus Aetheris .. drm. ss.
Aquam Chloroformi ad drm. i^l.

108.—MISTURA / AMMONIÆ ET IPECACU-
ANIÆ.

R—Ammonii Carbonatis.. gr. v.
Vini / Ipecacuanhæ .. m. x.
Aquam Camphoræ ad / drm. ii.

109.—MISTURA ARSENICALIS ALKALINA
CUM FERRO.

R—Liquoris Arsenicalis .. m. iv.
Sp. Ammoniæ Aromat. drm. ss.
Ferri et Ammonii Cit. gr. v.
Aquam ad drm. ii.

110.—MISTURA ARSENICI ET FERRI.

R—Liq. Asenici Hyd. .. m. iii.
Tinct. Ferri Perchlor. m. x.
Spiritus Chloroformi m. x.
Infusum Quassiæ ad drm. ii.

111.—MISTURA ASAFETIDÆ ET VALERIANÆ.

R—Tincturæ Asafetidæ. drm. ss.
Tinct. Valerianæ Amm. drm. ss.
Aquam Camphoræ ad drm. ii.

112.—MISTURA BISMUTHI ET CATECHIU.

SYN: ANTI-DIARRHEA MIXTURE.

R—Bismuthi Subnitratis	gr. xss.
Acidi Nitrici Diluti..	m. viii.
Tincturæ Chloroformi et Morphinæ Co. ..	m. ix.
Tincturæ Catechu ..	m. xv.
Aquam ad	drm. ii.

113.—MIXTURA BISMUTII COMPOSITA.

R—Bismuthi Carbonatis	gr. x.
Magnesii Carb. Levis ..	gr. x.
Sodii Bicarbonatis ..	gr. x.
Mucilag. Tragacanthæ	q. s.
Glycerini	m. x.
Aquam Chloroformi ad	drm. ii.

114.—MISTURA BROMIDI ET CHLORAL.

R—Potassii Bromidi ..	gr. xv.
Chloral Hydratis ..	gr. xv.
Syrupi Limonis ..	drm. ss.
Aquam ad	drm. ii.

115.—MISTURA BROMIDI COMPOSITA.

R—Ammonii Bromidi ..	gr. v. <i>10</i>
Potassii Bromidi ..	gr. v.
Sodii Bromidi	gr. v.
<i>Anæsthesia</i> Tinct. Card. Co.	drm. ss.
Aq. Menth. Pip. .. ad	drm. ii.

116.—MISTURA BROMIDI ET NUCIS VOMICÆ.

R—Potassii Bromidi ..	gr. x.
Tincturæ Nucis Vom. ..	m. v.
Sp. Ammen. Aromat... ..	drm. ss.
Infus. Gent. Co. .. ad	drm. ii.

117.—MISTURA BUCHU COMPOSITA.

R—Potassii Citratis ~~Bisparh~~ gr. xx.
Sodii Benzoatis gr. x.
Tincturæ Hyoscyami .. m. xx.
Infusum Buchu ad drm. ii.

118.—MISTURA CALCHI CHLORIDI.

R—Calcii Chloridi gr. xv.
Tincturæ Zingiberis .. m. i.
Aquam Chloroformi ad drm. ii.

119.—MISTURA CALUMBÆ COMPOSITA.

R—Sodii Bicarbonatis .. gr. vi.
Spiritus Menthae Pip... m. iss.
Tincturæ Calumbæ .. drm. ss.
Tincturæ Nucis Vom... m. vi.
Tincturæ Rhei drm. ss.
Aquam ad drm. ii.

120.—MISTURA CAJUPUTI COMPOSITA.

R—Spiritus Cajuputi .. m. xx.
Sp. Ammon. Arom. .. m. xx.
Spiritus Chloroformi m. xx.
Aquam ad drm. ii.

121.—MISTURA CAPSICI SEDATIVA.

SYN: ANTI-ALCOHOLIC MIXTURE.

R—Potassii Bromidi .. gr. x.
Sodii Bicarbonatis .. gr. x.
Tincturæ Capsici .. m. v.
Tincturæ Zingiberis m. xx.
Aquam Chloroformi ad drm. ii.

122.—MISTURA CARYOPHYLLI.

R—Sodii Bicarbonatis ..	gr. v.
Sp. Ammon. Arom. ..	m. xx.
Spiritus Chloroformi ..	m. x.
Infusum Caryoph. ad	drm. ii.

123.—MISTURA CASCARÆ.

R—Extracti Cascaræ Sag-	
radæ Liquidi	drm. i.
Ext. Glycyrrhizæ Liq.	drm. ss.
Sodii Bicarbonatis ..	gr. x.
Aquam Chloroformi ad	drm. ii.

124.—MISTURA CHLORALAMIDI.

R—Chloralamidi	gr. xx.
Tincturæ Aurantii ..	drm. i.
Spiritus Rectificat. ad	drm. ii.

125.—MISTURA CHLOROFORMI COMPOSITA.

R—Liq. Morph. Hyd. ..	m. xii.
Potassii Iodidi	m. iii.
Glycerini	drm. ss.
Aquam Chloroformi ad	drm. ii.

126.—MISTURA COLCHICI.

R—Vini Colchici	m. xv.
Potassii Citratis ..	gr. xx.
Aquam Menth. Pip. ad	drm. ii.

127.—MISTURA COPAIBÆ.

R—Balsami Copaibæ	..	m. iv.
Liquoris Potassæ	..	m. viiss.
Tincturæ Cubebæ	..	m. xv.
Tinct. Camph. Comp...	..	m. x.
Syrupi Simplicis	..	m. xv.
Mucilag Tragacanth.	..	drm. ss.
Aquamad drm. ii.

128.—MISTURA CREOSOTI.

R—Acidi Acetici Glacialis	..	m. iii.
Creosoti	m. iii.
Spiritus Juniperi	..	m. vii.
Syrupi Simplicis	..	m. xv.
Aquamad drm. ii.

129.—MISTURA DIAPHORETICA.

R—Liq. Ammon. Acet.	..	drm. i.
Spiritus Aetheris Nit.	..	drm. ss.
Aquam Camphoræ	ad	drm. ii.

130.—MISTURA ERGOTÆ.

R—Extracti Ergotæ Liq...	..	m. xxii.
Ac. Sulphurici Arom.	..	drm. ss.
Quininæ Sulphatis	..	gr. ss.
Liq. Strych. Hyd.	..	m. ii.
Glycerinumad	drm. ii.

131.—MISTURA FERRI APERIENS.

R—Acidi Sulphurici Dil...	..	m. xss.
Ferri Sulphatis	gr. ii.
Magnesii Sulphatis	..	drm. ss.
Tincturæ Capsici	..	m. i.
Aquamad drm. ii.

132.—MISTURA FERRI CUM POTASSII
IODIDO.

R—Ferri et Amm Cit. .. gr. x.
Potassii Iodidi gr. vii.
Spiritus Chloroformi .. m. v.
Infusum Quassiae ad drm. ii.

133.—MISTURA FERRI ET AMMONII ACETA-
TIS.

SYN: BASHAM'S MIXTURE.

R—Liq. Ferri Perchlor. .. m. v.
Liq. Ammonii Acet. .. drm. i.
Acidi Acetici Diluti .. m. v.
Glycerini m. xv.
Aquamad drm. ii.

134.—MISTURA FERRI ET AMMONII CITRA-
TIS.

R—Ferri et Ammonii Cit. gr. ~~v~~
Tincturæ Nucis Vom. m. v.
Aquamad drm. ii.

135.—MISTURA FERRI ET POTASSII CHLOR-
ATIS.

SYN: MISTURA GARGARISMA.

R—Potassii Chloratis .. gr. vi.
Tinct. Ferri Perchlor. m. viiss.
Glycerini m. xx.
Aquamad drm. ii.

136.—MISTURA FERRI ET STRYCHNINÆ.
SYN: MISTURA TONICA.

R—Liq. Strych. Hyd. ... m. v.
Tinct. Ferri Perchlor. m. vi.
Syrupi Simplicis .. drm. ss.
Aquamad drm. ii.

137.—MISTURA GENTIANÆ ALKALINA.

R—Sodii Bicarbonatis ... gr. x.
Spiritus Chloroformi m. x.
Infusum Gent. Co. ad drm. ii.

138.—MISTURA GENTIANÆ COMPOSITA.

SYN: MISTURA STOMACHICA.

R—Sodii Bicarbonatis ... gr. x.
Sp. Ammon. Aromat... m. xviii.
Tincturæ Nucis Vom. m. vi.
Tinct. Gentianæ Co... m. xviii.
Aquamad drm. ii.

139.—MISTURA HYDRARGYRI IODIDI.

SYN: MIXED TREATMENT.

R—Liq. Hydrarg. Perchlor. drm. i.
Potassi Iodidigr. viiss.
Aquam Chloroformi ad drm. ii.

140.—MISTURA HYOSCYAMI COMPOSITA.

SYN: MISTURA ANTI-ASTHMAT-
ICA.

R—Potassii Iodidigr. viiss.
Liquoris Arsenicalis m. iv.
Vini Ipecacuanhæ ... m. xv.
Tincturæ Hyoscyami m. xv.
Aquam Chloroformi ad drm. ii.

41.—MISTURA IODIDI.

R—Potassii Iodidi	gr. viiss.
Ammonii Carbonatis		gr. iv.
Sodii Carbonatis	..	gr. v.
Aquam Camphoræ	ad	drm. ii.

142.—MISTURA IPECACUANHÆ ET SCILLÆ.

SYN: MISTURA EXPECTORANS.

R—Liq. Ammon. Acet.	..	drm. ss.
Syrupi Sciliae	drm. ss.
Syrupi Codeinæ	..	m. xv.
Vini Ipecacuanhæ	..	m. xii.
Aquam	ad drm. ii.

143.—MISTURA LOBELIÆ ET POTASSII
IODIDI.

R—Potassii Bicarbonatis		gr. x.
Tinct. Lobeliæ Aether.		m. xv.
Potassii Iodidi	gr. iv.
Tincturæ Belladonnæ		m. v.
Aquam Camphoræ	ad.	drm. ii.

144.—MISTURA MENTHÆ PIPERITÆ.

R—Olei Menthæ Pip.	..	m. iss.
Magnesii Carbonatis		gr. iii.
Aquam	ad drm. ii.

145.—MISTURA OLEI SANTALI.

R—Olei Santali	m. xv.
Mucilaginis Acaciæ		drm. ss.
Aquam Menthæ Pip.	ad	drm. ii.

146.—MISTURA OXYMELLIS COMPOSITA.

R—Vini Ipecacuanhæ	..	m. x.
Tinct. Camphoræ Co...	..	m. xx.
Potassii Nitratis	..	gr. v.
Oxymellis	drm. ss.
Aquamad	drm. ii.

147.—MISTURA PHOSPHATIS COMPOSITA.

R—Calcii Phosphatis	..	gr. iii.
Sodii Phosphatis	..	gr. ii.
Ferri Phosphatis	..	gr. ss.
Acidi Phosphorici Dil.	..	m. x.
Aquamad	drm. ii.

148.—MISTURA POTASSII CARBONATIS.

R—Potassii Carbonatis	..	gr. xv.
Tincturæ Hyoscyami	..	m. xv.
Infusum Buchu	..ad	drm. ii.

149.—MISTURA SALINA.

R—Potassii Nitratis	..	gr. x.
Spiritus Aetheris Nit.	..	drm. ss.
Liquor Ammonii Ace-		
tatis ad	drm. ii.

150.—MISTURA SALINA ANTIMONIALIS.

R—Vini Antimonialis	..	m. xx.
Misturam Salinam	ad	drm. ii.

151.—MISTURA SANTONINI.

R—Santonini	gr. ss.
Olei Ricini	m. xx.
Syrupi Aurantii	..	m. xv.
Mucilaginis Acaciæ	..	m. xxx.
Aquam Caruiad	drm. ii.

152.—MISTURA SCOPARII COMPOSITA.

R—Potassii Acetatis	..	gr. xx.
Potassii Nitratis	..	gr. x.
Spiritus Aetheris Nit.	drm. ss.	
Spiritus Juniperi	..	m. xii.
Infusum Scoparii	ad	drm. ii.

153.—MISTURA SENEGÆ COMPOSITA.

R—Ammonii Carbonatis	..	gr. v.
Tincturæ Scillæ	..	m. x.
Syrupi Tolutani	..	drm. ss.
Infusum Senegæ	ad	drm. ii.

154.—MISTURA SODII PHOSPHATIS ACIDI.

R—Sodii Phosphatis Acidi	drm. ss.	
Tincturæ Hyoscyami	..	m. xv.
Infusum Buchu	ad	drm. ii.

155.—MISTURA SODII SALICYLATIS.

SYN: MISTURA RHUMATICA.

R—Sodii Salicylatis	..	gr. xv.
Potassii Citratis	..	gr. xx.
Ext. Glycyrrhizæ Liq.	..	drm. ss.
Aquam Chloroformi	ad	drm. ii.

156.—MISTURA STRYCHNINÆ.

R—Liq. Strychninæ Hyd.	..	m. v.
Tincturæ Capsici	..	m. iii.
Tinct. Cinchonæ Co...	..	m. xlx.
Aquam	..	ad
		drm. ii.

157.—MISTURA TEREBINTHINÆ.

R—Olei Terebinthinae ..	m. x.
Tincturæ Quillaiæ ..	m. x.
Syrupi Aromatici ..	drm. ss.
Aquam Cinnamomi ad	drm. ii.

158.—MISTURA VALERIANÆ COMPOSITA.

R—Ammonii Bromidi ..	gr. v.
Tinct. Valerianæ Amm.	drm. ss.
Olei Cajuputi	m. ii.
Aquam Camphoræ ad	drm. ii.

Tragacanth g.s.

NEBULAE.

159.—NEBULA ACIDI CARBOLICI.

(Throat)

R—Acidi Carbolici Liquidi	m. iii.
Sodii Biboratis	gr. xv.
Sodii Bicarbonatis ..	gr. xv.
Glycerini	m. xl.
Aquamad	oz. i.

160.—NEBULA ACIDI CARBOLICI ET COCAINÆ.

(Throat)

R—Acidi Carbolici Liquidi	m. v.
Cocainæ Hydrochloridi	gr. ss.
Glycerini Boracis ..	m. xx.
Aquam Rosæad	oz. i.

161.—NEBULA ACIDI SALICYLICI.

(Throat)

R—Acidi Salicylici	gr. iii.
Sodii Chloridi	gr. v.
Sodii Bicarbonatis	gr. v.
Aquamad	oz. i.

162.—NEBULA ACIDI TANNICI.

(Throat)

R—Acidi Tannici	gr. v.
Glycerini	drm. i.
Aquamad	oz. i.

163.—NEBULA COCAINÆ CUM MENTHOLE.

R—Cocainæ Hydrochloridi		gr. x.
Mentholis	gr. x.
Paraffinum Liq.	.. ad	oz. i.

164.—NEBULA ADRENALIN CHLORIDI.

R—Adrenalin Chl. (1:1000)	drm. iii.	
Hydrogenii Peroxidi	drm. ii.	
Glycerini	drm. ii.
Aquam ad	oz. vi.

165.—NEBULA EUCALYPTI.

R—Olei Eucalypti	m. x.
Paraffinum Liq.	.. ad	oz. i.

166.—NEBULA HYDRARGYRI PERCHLORIDI.

(Throat)

R—Cocainæ Hydrochloridi		gr. ii.
Hydrargyri Perchlor...		gr. 1/3
Glycerini	drm. i.
Aquamad	oz. i.

167.—NEBULA MENTHOLIS.

R—Mentholis	gr. x.
Paraffinum Liq.	..	ad		oz. i.

168.—NEBULA MENTHOLIS COMPOSITA.

R—Mentholis	gr. ii.
Thymolus	gr. i.
Camphoræ	gr. iiiss.
Terebeni	m. viii.
Eucalyptolis	m. viii.
Olei Cassiæ	m. 3/4
Paraffinum Liq.	..	ad		oz. i.

169.—NEBULA POTASSI CHLORATIS CUM FERRO.

(Throat)

R—Potassii Chloratis	..	gr. xv.
Liq. Ferri Perchlor.	..	m. xx.
Glycerini	..	drm. i.
Aquam	..	oz. i.

PASTAE.

170.—PASTA RESORCINI COMPOSITA.

SYN: HILLE'S PASTE.

R—Resoreini	gr. xx.
Zinci Oxidi	gr. xx.
Pulveris Amyli	gr. xx.
Adipis Lanæ Hydrosi			drm. iv.	
Paraffini Mollis	drm. iv.

171.—PASTA ZINCI COMPOSITA.

SYN: LASSAR'S PASTE.

R—Zinci Oxidi	drm. ii.
Acidi Salicylatis	gr. x.
Pulveris Amyli	drm. ii.
Paraffinum Molle	..	ad	..	oz. i.

172.—PASTA ZINCI ET GELATINI.

SYN: UNNA'S PASTE.

R—Zinci Oxidi	oz. i.
Gelatini	oz. i.
Glycerini	oz. iiiss.
Aquæ	oz. iiiss.

PIGMENTA.

173.—PIGMENTUM ACIDI CARBOLICI ET COCAINÆ.

(Throat)

R—Acidi Carbolici Liquidi	..	m. xv.
Cocainæ Hydrochloridi	..	gr. ss.
Glycerini Boracis	..	m. xx.
Aquam Rosæ	..	oz. i.

174.—PIGMENTUM ACIDI SULPHUROSI.

(Throat)

R—Acidi Sulphurosi	..	drm. ii.
Glycerini Acidi Tannici	..	drm. ii.
Glycerini	..	drm. iv.

175.—PIGMENTUM ARGENTI NITRATIS
AETHEREUM.

(Throat)

R—Argenti Nitratis	..	gr. xx.
Aquaæ Destillatae	..	drm. i.
Sp. Aethéris Nit.	ad	oz. i.

176.—PIGMENTUM FERRI PERCHLORIDI.

(Throat)

R—Liq. Ferri Perchlor.	..	drm. iv.
Glycerini	drm. iv.

177.—PIGMENTUM IODI.

R—Iodi	gr. xxx.
Spiritus Methylatum	ad	oz. i.

178.—PIGMENTUM IODI CARBOLIZATUM.

(Obstetric)

R—Iodi	drm. i.
Acidi Carbolici Liq.	..	drm. iv.

179.—PIGMENTUM IODI COMPOSITUM.

R—Iodi	gr. v.
Potassii Iodidi	gr. v.
Olei Menthae Piperitæ		m. v.
Glycerinum	.. ad	oz. i.

180.—PIGMENTUM OLEI CROTONIS.

SYN: CARSON'S PAINT.

R—Olei Crotonis	drm. ii.
Aetheris	drm. iv.
Tincturæ Iodi	oz. ii.

PILULAE VEL TABELLAE.

181.—PILULA A.B.S. ET C.

R—Aloini gr. 1/5
Extracti Belladonnæ.. gr. 1/8
Strychninæ Sulphatis gr. 1/120
Ext. Cascaræ Sagradæ gr. ss.

182.—PILULA ALOINI ET PODOPHYLLI.

R—Aloini gr. 1/8
Extracti Nucis Vom... gr. 1/8
Extracti Belladonnæ .. gr. 1/8
Podophylli Resinæ .. gr. 1/8

183.—PILULA ARSENII ET FERRI.

R—Acidi Arseniosi gr. 1/36
Pilulam Ferri ..ad gr. v.

184.—PILULA ARSENII ET FERRI CUM QUININA.

R—Acidi Arseniosi gr. 1/36
Quininæ Sulphatis .. gr. i.
Pilulam Ferri ..ad gr. v.

185.—PILULA ARSENII ET FERRI CUM STRYCHNINA.

R—Acidi Arseniosi gr. 1/36
Strychninæ gr. 1/50
Pilulam Ferri ..ad gr. v.

186.—PILULA BELLADONNÆ ET ZINCI OXIDI.

R—Extracti Belladonnæ		
Alcoholici	gr. 1/4
Zinci Oxidi	gr. iiss.
Extracti Gentianæ	..	gr. ii.

187.—PILULA CAFFEINÆ ET PHENACETINI.

R—Caffeinæ Citratis	..	gr. iii.
Phenacetini	gr. v.

188.—PILULA CALOMELANOS ET COLOCYNTHIDIS.

R—Ext. Colocynthidis Co.	..	gr. iv.
Hydrarg. Subchloridi..		gr. i.

189.—PILULA CASCARÆ COMPOSITA.

R—Aloini	gr. ss.
Ext. Cascaræ Sagradæ		gr. i.
Extracti Hyoscyami ..		gr. i.
Extracti Nucis Vom...		gr. 1/4

190.—PILULA COLOCYNTHIDIS COMPOSITA.

SYN: PILULA CATIIARTICA COMPOSITA.

R—Ext. Colocynthidis Co.	..	gr. i.
Extracti Gentianæ	..	gr. ss.
Extracti Jalapæ	..	gr. ss.
Extracti Hyoscyami ..		gr. 1/20
Leptandrini	gr. 1/4
Oleoresinæ Capsici ..		gr. 1/20
Podophylli Resinæ ..		gr. 1/4

191.—PILULA CREOSOTI.

R—Creosoti	m. i.
Micae Panis	q. s.

192.—PILULA DIGITALIS COMPOSITA.

SYN: GUY'S PILL.

R—Pulveris Foliorum Digitalis	gr. i.
Pilulae Hydrargyri	gr. i.
Pulveris Scillæ	gr. i.

193.—PILULA EXPECTORANS.

R—Pulveris Guaiaci	gr. ss.
Pulveris Ipecacuanhæ	gr. ss.
Pulveris Opii	gr. ss.
Pilulæ Sciliæ Comp.	gr. ii.

194.—PILULA ERGOTÆ.

R—Extracti Ergotæ	gr. ii.
Basis	q. s.

195.—PILULA FERRI ET QUININÆ CUM STRYCHNINA.

R—Quininæ Sulphatis	gr. i.
Strychninæ	gr. 1/50
Pululam Ferri ..ad ..	gr. v.

196.—PILULA FERRI ET STRYCHNINÆ.

R—Strychninæ	gr. 1/50
Pululam Ferri ..ad ..	gr. v.

197.—PILULA HYDRARGYRI ET IPECACU-
ANILÆ COMPOSITA.

SYN: HUTCHINSON'S PILL.

R—Hydrargyri cum Creta gr. i.
Pulv. Ipecacuanhæ Co. gr. i.

198.—PILULA SANTONINI COMPOSITA.

R—Santonin gr. i.
Hydrargyri Subchlor.. gr. i.

199.—PILULA TRIUM PHOSPHATUM.

SYN: EASTON'S PILL.

R—Ferri Phosphatis .. gr. i.
Quininæ Sulphatis .. gr. i.
Strychninæ gr. 1/32
Sacchari Lactis gr. 1½

POTUS.

200.—POTUS IMPERIALIS.

R—Potassii Tartratis Acidi drm. i.
Syrupi Limonis . . oz. iss.
Aquam ad Oi.

PULVERES.

201.—PULVIS ACIDI SALICYLICI COMPOSITUS.

(Dusting Powder)

R—Acidi Salicylici ... partes iii.
Talci Purificati ... partes xc.
Lycopodii partes x.

202.—PULVIS BISMUTHI COMPOSITUS.

SYN: ANTI-DYSPEPTIC POWDER.

R—Bismuthi Oxycarb. ... gr. xx.
Magnesii Carb. Pond... gr. xx.
Sodii Bicarbonatis ... gr. xx.

203.—PULVIS BISMUTHI CUM MORPHINA.

SYN: FERRIER'S SNUFF.

R—Bismuthi Oxynitratis drm. vi.
Morphinæ Hydrochlor. gr. ii.
Acaciæ Gummi drm. ii.
Dose for insufflation, 120 grains during
24 hours.

204.—PULVIS EMETICUS.

R—Pulveris Ipecacuanhæ gr. xix.
Antimonii Tartrati .. gr. i.

205.—PULVIS EUPAD.

R—Calcis Chlorinatæ
Acidi Borici .. partes æquales.

206.—PULVIS GUAIAICI COMPOSITUS.

R—Pulveris Guaiaci Res. gr. viii.
Magnesii Carb. Pond. gr. xvi.
Sulphuris Sublimati .. gr. viii.

207.—PULVIS IODOFORMI ET MORPHINÆ.

R—Iodoformi gr. xxx.
Morphinæ Hydrochlor. gr. iii.
Acidi Borici gr. xc.

Dose for laryngeal insufflation, 1 to 2 grains.

208.—PULVIS LOBELLÆ COMPOSITUS.

R—Potassii Nitratis .. gr. xv.
Pulveris Lobeliæ .. gr. xv.
Pulv. Fol. Stramonii .. gr. xv.
Pulv. Anisi Fructus .. gr. xv.

Burn 1 drachm and inhale fumes.

209.—PULVIS MENTHOLIS COMPOSITUS.

R—Mentholis drm. i.
Ammonii Chloridi .. drm. i.
Acidi Borici drm. ii.

Dose for insufflation, 60 grains during 24 hours.

210.—PULVIS SODII SULPHATIS COMPOSITUS.

SYN: CARLSBAD SALT.

R—Sodii Sulphatis .. partes xxii.
Potassii Sulphatis .. pars i.
Sodii Chloridi partes ix.
Sodii Bicarb. .. partes xviii.

Dose, 1 drachm in a tumbler of warm water.

211.—PULVIS ZINCI CUM AMYLO.

(Dusting Powder)

R—Zinci Oxidi pars i.
Pulverem Amyli .. partes iii.

212.—PULVIS ZINCI OXIDI ET ACIDI BORICI.

(Dusting Powder)

R—Zinci Oxidi pars i.
Acidi Borici pars i.

213.—PULVIS ZINCI OXIDI ET CALOMEL-
ANOS.

(Dusting Powder)

R—Zinci Oxidi partes iii.
Hydrargyri Subchlor. . . pars i.

SERA.

The methods of administration are hypodermic, intramuscular, intravenous, intraspinal, oral, and rectal.

The intravenous injections may be diluted with normal saline solution.

214.—ANTI-COLON BACILLUS SERUM.

25 to 100 c.c. subcutaneously.

215.—ANTI-GONOCOCCUS SERUM.

25 to 100 c.c., subcutaneously.

216.—ANTI-MENINGOCOCCUS SERUM.

25 c.c. intraspinally, repeated.

217.—ANTI-STAPHYLOCOCCUS SERUM,
POLYVALENT.

25 c.c. to 100 c.c., subcutaneously.

218.—ANTI-STREPTOCOCCUS SERUM.

The following varieties are prepared—
Erysipelas, Polyvalent, Puerperal Fever,
Scarlet Fever, Rheumatic Fever, Ulcerative
Endocarditis.

The usual dose is 25 to 100 c.c., subcutaneously.

219.—ANTI-TYPHOID SERUM.

25 to 100 c.c., subcutaneously.

220.—DIPHTHERIA ANTITOXIC SERUM.

The following doses are recommended by leading authorities:

Prophylactic dose, 1,000 units, subcutaneously.

Mild cases, 20,000 units, subcutaneously.
Moderate cases..40,000-80,000 units

subcutaneously at once or in 20,000 unit doses every six hours until the membrane shows signs of separating and the toxæmia of abating.

Severe cases of 3 to 5 days duration, 5,000-10,000 units intravenously and at the same time 50,000-100,000 units subcutaneously. Repeat every 6 hours with 20,000-30,000 units subcutaneously until membrane begins to separate, etc. These cases usually require from 200,000 to 300,000 units.

221.—NORMAL HORSE SERUM.

25 to 100 c.c., subcutaneously or orally.

222.—TETANUS ANTITOXIC SERUM.

Prophylactic dose, 1,500 units subcutaneously.

For curative doses the intraspinal and intravenous methods are used. Doses such as 3,000 units intraspinally and 6,000 units intravenously are commonly given at the onset of symptoms. These are repeated daily or more often until the symptoms abate. 50,000 to 200,000 units in all are commonly used.

SUPPOSITORIA.

223.—SUPPOSITORIUM ICHTHYOLIS.

R—Ichthyolis

Balsami Peruviani	aa	m. i.
Extracti Conii	..	gr. 1/6
Olei Theobromatis	..	gr. xxx.

TROCHISCI.

224.—TROCHISCUS ACACIÆ.

R—Acaciæ Gummi	gr. xii.
Sacchari Albi	gr. vi.
Tragacanthæ	gr. iss.
Aquæ Rosæ	q. s.

225.—TROCHISCUS COCAINÆ.

R—Cocainæ Hydrochlor	..	gr. 1/6
Acaciæ Gummi	..	gr. xviii.
Sacchari Albi	..	gr. iv.
Mucilaginis Acaciæ	..	m. ii.

226.—TROCHISCUS GLYCYRRHIZÆ.

R—Extracti Glycyrrhizæ..	..	gr. ii.
Olei Anisi	m. ss.
Massæ Troch. Acaciæ..	..	gr. x.

UNGUENTA.

227.—UNGENTUM ACIDI BORICI.

(Ophthalmic)

R—Acidi Borici	drm. i.
Paraffinum Molle	ad	oz. i.

228.—UNGENTUM ACIDI BORICI CUM
MENTHOLE.

(Nasal)

R—Mentholis	gr. i.
Acidi Borici	gr. vi.
Olei Gaultheriae	m. i.
Adipis Lanæ Hydrosi	..	drm. ii.
Paraffinum Molle	ad	oz. i.

229.—UNGENTUM ACIDI CARBOLICI
COMPOSITUM.

R—Acidi Carbolici	pars i.	
Ung. Hydrarg. Nit.	..	partes ii.
Unguenti Sulphuris	partes ii.

230.—UNGUENTUM ATROPINÆ.

(Ophthalmic)

R—Atropinæ Sulphatis .. gr. iv.
Paraffinum Molle ad oz. i.

231.—UNGUENTUM ATROPINÆ FORTE.

(Ophthalmic)

R—Atropinæ Sulphatis .. gr. viii.
Paraffinum Molle ad oz. i.

232.—UNGUENTUM CALAMINÆ.

R—Calaminæ drm. iss.
Olei Gaultheiæ m. ii.
Adipis Benzoati drm. vii.

233.—UNGUENTUM CHRYSAROBINI COM-
POSITUM.

R—Chrysarobini gr. v.
Hydrargyri Ammoniati gr. x.
Liq. Picis Carbonis .. m. x.
Paraffinum Molle ad oz. i.

234.—UNGUENTUM COCAINÆ.

(Ophthalmic)

R—Cocainæ Hydrochlor... gr. viii.
Paraffinum Molle ad oz. i.

235.—UNGUENTUM CUPRI OLEATIS.

R—Cupri Oleatis drm. i.
Paraffinum Molle ad oz. i.

236.—UNGUENTUM DIACHYLI.

R—Emplastri Plumbi .. pars i.
Paraffini Mollis .. pars i.

237.—UNGUENTUM ESERINÆ.

(Ophthalmic)

R—Eserinæ Sulphatis .. gr. i.
Paraffinum Molle ad oz. i.

238.—UNGUENTUM HYDRARGYRI AMMONIATI DILUTUM.

R—Ung. Hydrarg. Ammon. pars i.
Paraffini Mollis .. partes iii.

239.—UNGUENTUM HYDRARGYRI AMMONIATI DILUTUM.

(Ophthalmic)

R—Hydrargyri Ammon... gr. viii.
Paraffinum Molle ad oz. i.

240.—UNGUENTUM HYDRARRYRI OXIDI FLAVI.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. iv.
Paraffinum Molle ad oz. i.

241.—UNGUENTUM HYDRARGYRI OXIDI FLAVI FORTE.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. viii.
Paraffinum Molle ad oz. i.

242.—UNGUENTUM HYDRARGYRI OXIDI FLAVI CUM ATROPINA.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. iv.
Atropinæ Sulphatis .. gr. ii.
Paraffinum Molle ad oz. i.

243.—UNGENTUM HYDRARGYRI OXIDI
FLAVI CUM ATROPINA FORTE.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. viii.
Atropinæ Sulphatis .. gr. iv.
Paraffinum Molle ad oz. i.

244.—UNGENTUM HYDRARGYRI OXIDI
FLAVI CUM ESERINA.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. iv.
Eserinæ Sulphatis .. gr. i.
Paraffinum Molle ad oz. i.

245.—UNGENTUM HYDRARGYRI OXIDI
RUBRI DILUTUM.

R—Unguenti Hydrargyri
Oxidi Rubri drm. i.
Paraffinum Molle ad oz. i.

246.—UNGENTUM HYDRARGYRI PERCHLOR-
IDI COMPOSITUM.

R—Hydrargyri Perchlor. gr. ii.
Acidi Carbolici gr. xx.
Glycerini m. x.
Olei Ollvæ m. xl.
Unguentum Zinci ad oz. i.

247.—UNGENTUM ICHTHYOLIS.

R—Ichthyolis gr. xl.
Acidi Salicylici gr. viii.
Paraffinum Molle ad oz. i.

248.—UNGENTUM IODOFORMI CUM
EUCALYPTO.

(Nasal)

R—Iodoformi	gr. iii.
Olei Eucalypti	drm. ss.	
Paraffini Duri	drm. iv.	
Paraffini Mollis		oz. i.

249.—UNGENTUM METALLORUM.

R—Hydrarg. Subchloridi		gr. x.
Plumbi Acetatis	..	gr. x.
Zinci Oxidi	..	gr. xx.
Unguentum Hydrarg.		
Nitratis Dil.	.. ad	oz. i.

250.—UNGENTUM NAPHTHOLIS COMPOSI-
TUM.

R—Naphtholis partes iss.
Cretæ Preparatæ	..	pars i.
Saponis Mollis partes v.
Adipis partes x.

251.—UNGENTUM OLEI CADINI.

R—Olei Cadini	drm. i.
Paraffinum Molle	ad		oz. i.

252.—UNGENTUM PICIS CARBONIS CUM
HYDRARGYRO AMMONIATO.

R—Liq. Picis Carbonis	..	drm. ss.
Hydrarg. Ammoniati	..	gr. x.
Paraffinum Molle	ad	oz. i.

253.—UNGENTUM PLUMBI CUM CALAMINA.

SYN: ERYSIPelas DRESSING.

R—Emplastri Plumbi	..	drm. v.
Calaminæ	drm. i.
Adipis	drm. iv.
Olei Olivæ	drm. ii.

254.—UNGENTUM PYROGALLOLIS COMPOSITUM.

R—Pyrogallolis	gr. xx.
Ichthyolis	gr. xx.
Acidi Salicylici	gr. viii.
Paraffinum Molle	ad	oz. i.

255.—UNGENTUM RESORCINI.

R—Resorcini	drm. i.
Glycerini	drm. i.
Adipis Lanæ Hydrosi		drm. ii.
Paraffinum Molle	ad	oz. i.

256.—UNGENTUM SULPHURIS ET ZINCI OXIDI.

R—Unguenti Sulphuris	..	drm. i.
Unguentum Zinci	ad	oz. i.

237.—UNGENTUM THYMOLIS.

R—Thymolis	gr. xx.
Paraffinum Molle	ad	oz. i.

258.—UNGUENTUM ZINCI CARBONATIS
COMPOSITUM.

R—Zinci Carbonatis ..	drm. i.
Pulv. Acidi Salicylici..	gr. viii.
Adipis Lanæ Hydrosi	drm. ii.
Paraffinum Molle ad	oz. i.

259.—UNGUENTUM ZINCI OXIDI COMPOSI-
TUM.

R—Zinci Oxidi	drm. i.
Pulv. Acidi Salicylici..	gr. x.
Adipis Lanæ Hydrosi	drm. ii.
Paraffinum Molle ad	oz. i.

260.—UNGUENTUM ZINCI OXIDI CUM
RESORCINO.

R—Resorcini	gr. xv.
Unguentum Zinci ad	oz. i.

261.—UNGUENTUM ZINCI PEROXIDI.

R—Zinci Peroxidi	gr. xx.
Paraffinum Molle ad	oz. i.

262.—UNGUENTUM ZINCI PEROXIDI FORTE.

R—Zinci Peroxidi	gr. xl.
Paraffinum Molle ad	oz. i.

VACCINES.

The following are the average doses of bacterial vaccines. All are administered hypodermically twice each week, excepting Streptococcus Erysipelatis (about every second day), Gonococcus (about every third day), Tuberculin (once each week), and the Bacillus of Typhoid (once each week for two or three doses).

263.—BACILLUS COLI.

10 to 50 millions.

264.—BACILLUS DIPHTHERIAE.

20 to 100 millions.

265.—BACILLUS OF FRIEDLANDER.

50 to 100 millions.

266.—BACILLUS OF GLANDERS.

50 to 100 millions.

267.—BACILLUS OF INFLUENZA.

50 to 100 millions.

268.—BACILLUS OF PERTUSSIS.

25 to 100 millions.

269.—BACILLUS PYOCYANEUS.

10 to 50 millions.

270.—BACILLUS OF TYPHOID.

100 to 500 mil. (Therapeutic).
500 to 1,000 mil. (Prophylactic).

271.—*GONOCOCCUS.*

2½ to 100 millions.

272.—*MICROCOCCUS CATARRHALIS.*

5 to 50 millions.

273.—*PNEUMOCOCCUS.*

10 to 50 millions.

274.—*STAPHYLOCOCCUS PYOGENES ALBUS.*

20 to 40 millions.

(Source—*acne vulgaris*.)

275.—*STAPHYLOCOCCUS PYOGENES AUREUS.*

125 to 500 millions.

(Source—boils, etc.)

276.—*STREPTOCOCCUS ERYSIPELATIS.*

2½ to 10 millions.

277.—*TUBERCULIN (B.E.).*

1/100,000 to 1/800 mgm.

VAPORES.

278.—*VAPOR ACIDI CARBOLICI.*

R—Acidi Carbolici Puri.. gr. xx.

Aquæ Bullientis Ol.

To be inhaled from a suitable vessel.

279.—VAPOR BENZOINI.

R—Tincturæ Benzoini Co. drm. i.
Aquæ Bullientis Oi.

To be inhaled from a suitable vessel.

280.—VAPOR CREOSOTI.

R—Creosoti m. xl.
Magnesii Carbon. Levis gr. xx.
Aquamad oz. i.

Use one drachm to a pint of boiling
water for each inhalation.

281.—VAPOR EUCALYPTI.

R—Olei Eucalypti m. xl.
Magnesii Carbon. Levis gr. xx.
Aquam ad oz. i.

Use one drachm to a pint of boiling
water for each inhalation.

282.—VAPOR TEREBENI.

R—Terebeni m. xl.
Magnesii Carbon. Levis gr. xx.
Aquamad oz. i.

Use one drachm to a pint of boiling
water for each inhalation.

terminal - Phenobarb, Hypalon

Reschell's - Ferron Sulphate
Hematinic Plastide
Plastides.

Bland's - Iron Pills gr 7

Fosst's 217 A.P.C.

ac - before meals.

pc - after meals.

hs - at bedtime.

PRN - when necessary.

oo - of each.

ad - up to.

AM - before noon.

Q 4 h - every 4 hours.

Bid - twice daily.

Tid - three times daily.

qid - four times daily.

Liquid Paraffin - Mineral Oil

mitt - send thou.

Gtt. - drop.

Et. - let it be made.

Eupad aa chloride of lime (R7)
2 packages (2 lbs)
2 lbs Boracic acid (P4)

Eusol 125 gms of Eupad.
fill bottle with ordinary
water.
fill bottles from the
floors only half full.

Dakins Solution

chlorozene powder 8 dms
120 oz. water
this is double strength

Liq. Iodi Mitis.

Distilled water 8 oz.
Pot. Iodide 133 gis.
Iodine crystals 2 g.


Corn Cure.


25% Salicylic Acid in
collodion. 6 g.

Spt. Chloroform 1-20 S.U.F

sola Phosphoric acid 1%

5.8 cc of Phosphoric acid
500 cc of distilled water.





1•5 St. M
S Pl
TL 1916
1916

DATE

